



Kit 1194

HYUNDAI Amica, 5-dr Hatchback, 00-03



HYUNDAI Atos Prime, 5-dr Hatchback, 00-03

KIA Visto, 5-dr Hatchback, 00-03



480R
754



480



750



THULE[®]
SWEDEN

ISO 11154-E

xx kg
xx lbs

+

7 kg
15,4 lbs

=

**Max.
50kg**

**Max.
110 lbs**

80 km/h
50 Mph

130 km/h
80 Mph

40 km/h
25 Mph

km/h
Mph

+

Kit XXXX

instructions

THULE

x1

x4

x4

x4

x4

480R/754

x1

x4

x4

x4

480

x1

x4

x4

750

x2

x2

x2

x4

x2

x2

x2

x4

x4

x2

x2

314 x4

04 x4

x1

Kit

1




480R/754



480



750



2



480R/754














480




750


+



3




754



750



1




2




	X
HYUNDAI Amica, 5-dr Hatchback, 00-03	30
HYUNDAI Atos Prime, 5-dr Hatchback, 00-03	30
KIA Visto, 5-dr Hatchback, 00-03	30

1



2



	Y
HYUNDAI Amica, 5-dr Hatchback, 00-03	28
HYUNDAI Atos Prime, 5-dr Hatchback, 00-03	28
KIA Visto, 5-dr Hatchback, 00-03	28




480R



480

1




2



	X inch	X mm
HYUNDAI Amica, 5-dr Hatchback, 00-03	37 1/2"	951 mm
HYUNDAI Atos Prime, 5-dr Hatchback, 00-03	37 1/2"	951 mm
KIA Visto, 5-dr Hatchback, 00-03	37 1/2"	951 mm

1



2
















	Y inch	Y mm
HYUNDAI Amica, 5-dr Hatchback, 00-03	36 5/8"	931 mm
HYUNDAI Atos Prime, 5-dr Hatchback, 00-03	36 5/8"	931 mm
KIA Visto, 5-dr Hatchback, 00-03	36 5/8"	931 mm

4


HYUNDAI Amica, 5-dr Hatchback, 00-03

HYUNDAI Atos Prime, 5-dr Hatchback, 00-03




KIA Visto, 5-dr Hatchback, 00-03



5




	X mm	Y mm	X inch	Y inch
HYUNDAI Amica , 5-dr Hatchback, 00-03	215 mm	700 mm	8 1/2"	27 1/2"
HYUNDAI Atos Prime , 5-dr Hatchback, 00-03	215 mm	700 mm	8 1/2"	27 1/2"
KIA Visto , 5-dr Hatchback, 00-03	215 mm	700 mm	8 1/2"	27 1/2"



GB/US Tighten alternately
D Die Schrauben abwechselnd anziehen
F Serrer alternativement chaque côté
NL Afwisselend aan de linker- en de rechterkant aandraaien
I Alternare il serraggio delle viti
E Apretar alternativamente
PT Aperte alternadamente
S Dra åt växelvis
FIN Kierrä vuorotellen
EST Pinguldage vaheldumisi
LAT Pievelciēt pamišus
LIT Užsukinėkite pakaitomis
PL Śruby dokręcaj naprzemiennie
RU Затягивайте попеременно

CZ Pokrétla багажника dokręcaj dokręcaj naprzemiennie.
SK Doťahujte striedavo
SLO Privijajte izmenično.
HR Naizmjenično zategnite
HU Egy mástól függetlenül szorítandó
GR Σφίγγετε εναλλάξ
TR Dönüşümlü sıkın
中文 交替拧紧
한국어 번갈아 가며 조이십시오.
日本語 交互に締め付けてください。
ไทย ชั้้นในแบบสลับ



6






480R/754








480



750





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

		(x4)
		(x6)
		(x8)
NA		(x10)
EUR		(x12)
ASIA		