

18R 4013

VW Tiguan, Md. 04/2016

EU-pedestrian protection bar 60 mm with cross pipe 42 mm


EU-Personenschutzbügel 60 mm mit Querrohr 42 mm

Protection avant, homologuée CEE, 60 mm, traverse 42 mm



ASSEMBLY INSTRUCTION

Montageanleitung • Instructions de montage



50 Minuten

Artikel-Nr:


18R4013 stainless steel

18R5013 black steel


Revision 3: 18.10.2017





10
13
17



4
6




Ø 12,5
Ø 25



1

18R4013.1 / 18R5013.1

1x



2

18R5022_R / 18R5023_L

2x



3

18R5020_R / 18R5021_L


2x



4

15T5052

4x



5

11F8043

2x



a		M6x35; DIN 7991 Zn	4x
b		M8x20; DIN 912 A2	4x
c		M8x25; DIN 933 A2	2x
d		Ø 3,5x13 (DIN ähnl.7981 B) A2	2x
e		M6; DIN 934 A2	2x
f		M10; DIN 934 Zn	2x
g		Ø 8; DIN 127 A2	6x
h		Ø 10; DIN 127 Zn	2x
i		Ø 4,2; DIN 9021 A2	2x
j		Ø 8,4; DIN 9021 A2	4x
k		Ø 8,4; DIN 125 A2	2x
l		Ø 10,5; DIN 9021 Zn	2x
m		GP-DZ-015x010-M6x50 NR55-V2A	2x
n		Getowell M6	4x
o		SW 13	2x
p		Moss Verschluss-Stopfen für Loch Ø 20 (Art.Nr. 15161)	4x

